Panga 22R/CC

LOA: 6.83M Beam: 2.28M Depth: 1.4M Draft: 0.25M

Power outboard engine 50HP to 120HP, optional items.(20" or 25" shaft)

Speed: 22kn

Weight net no engine: 800KG Two boats fit in a 40HQ container.

Basic equipment

- 1. FRP hull and deck and frame under deck with foam.
- 2. Rubber anti-collision strip
- 3. Four 8" S.S. mooring & spring cleats
- 4. Three S.S. rings
- 5. Forward rode/anchor locker w/hatch cover
- 6. Forward storage locker w/hatch cover
- 7. Stern battery locker and S.S. fuel tanks locker w/hatch cover
- 8. Console w/ FWD seat (different model optional)
- 9. Driver seat w/ four S.S rod holders
- 10. Two navigation lights
- 11. Water proof switch board
- 12. Bow cleat.

Optional equipment

- 1. Bilge pump: USD100
- 2. Two building in lockers w/rod racks in gunwales: USD500
- 3. S.S. rod holders in gunwales: USD18/pc
- 4. T TOP with rod holders: USD600
- 5. Bow rails: USD300
- 6. S/S bow roller: USD65.
- 7. Aluminum or S.S. fuel tank (100L):USD500.
- 8. Trailer single axle no brake: USD1295/pc
- 9. Cushion for bow seat and stern seats: USD200.
- 10. S.S. ladder at back USD100.
- 11. s/s rail and plastic bait board 515mm x358mm at stern USD140.
- 720mm x475mm at stern USD170.
- 12. S.S. engine mount USD100.































