First, MAIN SPECIFICATIONS

BOAT MODEL	UF31WA Pilot House Fishing Boat
OVERALL LENGTH (r	nm) 9960
BEAM mm	2675
DEPTH mm	1283
DRAFT mm	400
WEIGHT(kg)	Approximately 2800
PERSON CAPACITY	10 person (WITH 1 CREW)
TRANSOM HEIGHT(inch) 25
SPEED km/h	45-85km/h
NAVIGATION AREA	(B-OFFSHORE) moderate waters
ENGINE TYPE	OUTBOARDS
POWER RECOMMEN	ND (hp) 225-600hp

1. Standard equipment				
Hull material: white hull,				
All fiberglass,				
resin, FRP, with full foam floatation.				
cleat	5pcs			
Stainless U ring	3pcs			
Anchor chain storage	1pc			
Anchor bracket	1pc			
Bow handrail	1set			
Stern handrail	1set			
Side handrail of steering room		1pair		
Stern handrail of steering room		1pair		
stainless steel rail on the edge of pilot house 1se				

plastic rod holder	4pcs			
stainless steel rod holder on boat	side 4pcs			
ventilation fence(316) (316)	2pcs			
fuel tank 300L	1set			
Stainless steel oil filling hole	1pc			
Ventilation hole	1рс			
Fuel level sensor	1рс			
Fuel level gauge	1рс			
Stainless steel water outlet	1pc			
Stainless steel hatch lock	7pcs			
platform/plate	1pair			
ladder 2	1pair			
Stainless steel supporter for platform/plate 1pc				
Floor storage	2pcs			
Live bait storage	1рс			
Live bait storage water outlet	2pcs			
Battery storage	2pcs			
Front windshield	1set			
Triangular tempered glass on side	2pcs			
Aluminum alloy sliding back door	1sets			
Back door lock	1pc			
Console	1set			
Driver seat	1рс			
sofa in Steering room	1set			
foldable seat in steering room	1set			

key press lock	1pc			
Toilet	1set			
round Cabinet Locks of toilet do	or	1pc		
sleeping /accommodation cabin with cushion 1set				
accommodation cabin	1pc	:		
teak wood Baffle				
teak wood seating plate in the front of pilot house 1pc				
fiberglass inner box of floor stor	age	4pcs		
3Electrical parts				
Limited Remote control spotligh	nt	1set		
Side light(lights of port and star	board	1set		
White all round top light	1рс			
Cabin's round top light	1pc			
Accommodation round light	1	.pc		
Toilet light	1рс			
Stern deck spotlight	1set			
Direct current switch board	150	et		
Water-jet wiper	1set			
Bilge pump(with automatic floa	t switch)	1pc		
Single horn	1рс			
Switch with button	1рс			
Six position switch	1pc			
Two position switch	2pcs			
Lightning rod	1set			
ground plate	1рс			
2spare parts				
Life jackets	8pcs			
Life buoyancy	1pc			

Mooring rope	2pcs	
Fire extinguisher	1pc	
Battery	2pcs	

Optional Teak floor; radar; G.P.S.; engines/trailer; (twin axle w/brakes \$2900.00 N.A.

in U.S. - Aluminum twin axles w/brakes \$4900.00)

Optional 16-18mm bottom hull thickness 6mm - 8mm side thickness \$3,800.00

Boat hull and cabin are separate for shipment,

Boat hull by steel cradle put in a 40hq container.

Cabin put in a 20'container

Needs assembly at destination or add \$5000.00 for additional shipping charges as one unit



























